# El Cerrito Tires & Auto Body

548 Cleveland Ave Albany, CA. 94710

Phone: 510-526-7878 Fax: 510-526-7879

TEXT MESSAGE 510-526-7878

INVOICE 36013

BAR ARD00268990 EPA CAL000389714

Printed Date: 10/17/2023

Work Completed: 10/17/2023

2018 Ford - Escape SE - 1.5L, In-Line4 (91CI) VIN(D)

Lic#: 8AWS213

Odometer In: 68861

VIN#: 1FMCU9GD7 JUA31959

	VIN#: 1FMCU9GD7 JUA31959								
Part Description / Number	Qty	Sale	Ext	Labor Description	Hours	Ext			
VALVOLINE SYNTHETIC BLEND 5W20 OIL VAL520	5.00	4.25	21.25	Engine Oil - Volume: 4.30 QTS. (4.06L) - MOTORCRAFT SAE 5W-20 Full Synthetic Motor Oil or MOTORCRAFT SAE 5W-20					
DRAIN PLUG SEAL	1.00	3.50	3.50	Premium Synthetic Blend Motor Oil; 1.5L Eng - w/Filter,w/Eco Boo Engine - (Note: Use of synthetic or synthetic blend motor oil is not mandatory. Only use fluid that meets Ford specifications. Motor o					
Oil Filter 51348	1.00	13.23	13.23	of the recommended viscosity grade that meet and display the API Certification Mark for gasol	API SN requir ine engines a	ements re also			
Oil disposal fee fee	1.00	3.00	3.00	DO NOT use supplemental engine oil additives in your engine. They					
VALVOLINE MAXLIFE FULL SYNTHETIC TRANS FLUID	7.00	7.95	55.65	your Ford warranty.)					
MAXLIFETRANS				ENGINE OIL CHANGE SERVICE	0.25	30.00			
NGK GPower Platinum Spark Plug 5019	4.00	17.68	70.72	Replace oil filter					
Spark Plug	4.00	28.65	114.60	Check and top off underhood fluids Rotate tires where applicable					
SP539X				Inflate tires to specified air pressure Reset maintenance reminder Wheel Lock					
				VEHICLE SAFETY INSPECTION 0.50 80.01 Fluid Capacity: Automatic Transmission Fluid - Volume: 9.00 QTS. (8.51L) - MOTORCRAFT Automatic Transmission Fluid MERCON LV; All Applicable Models - (Note: Approximate dry fill capacity. Actual amount may vary during fluid changes. Automatic Transmission that require MERCON LV should only use MERCON LV ATF.)					
	20			DRAIN AND REFILL TRANSMISSION FLUID - DRENAR Y LLENAR LÍQUIDO DE TRANSMISIÓN	0.50	80.00			
				OIL DISPOSAL	0.02	2.50			
				PULL AND CHECK CONDITION OF SPARK PLUGS - TIRAR Y COMPROBAR EL ESTADO DE LAS BUJÍAS	0.25	40.00			
9				SPARK PLUGS - Remove & Replace - 1.5L Eng [Recommendations]	1.00	160.00			
				Peform Lube, Oil & Filter Exchange on 10/12/2	024 or 73860	Miles.			

# Smog Check Vehicle Inspection Report (VIR)

#### Vehicle Information

Test Date/Time: 10/18/2023 @ 11:20 AM

Model Year:

Vehicle Make:

FORD

Vehicle Model:

ESCAPE SE

VIN (scanned from vehicle):

Certification Type: California

1FMCU9GD7JUA31959

Gasoline

License Plate:

8AWS213

License State: Odometer:

CA 68868 Fuel Type: GVWR:

6,000 and less

**Overall Test Result** 

PASS

Congratulations! Your vehicle passed the Smog Check inspection, which helps California reach its daily goal of removing smog-forming emissions from the air. Thank you for keeping your vehicle well maintained.

Visual Inspection: PASS Functional Inspection: PASS

Smog Check Certificate Number: IV586067C

DMV ID Number: 5079V0911179

Your Smog Check certificate has been electronically transmitted to DMV.

Your certificate is valid for 90 days from date of issuance. Please keep this copy for your records.

The Bureau of Automotive Repair helps consumers with Smog Check repairs, vehicle retirement, collision repair inspections, and more. www.bar.ca.gov

### Visual Inspection Result Information

Result	Inspection Category	Result	Inspection Category
NOT APPLICABLE	Air Injection System	PASS	Catalyst
PASS	Computers, Sensors, Switches, and Wiring	PASS	Crankcase Emission Controls
NOT APPLICABLE	Exhaust Gas Recirculation (EGR)	PASS	Fuel Evaporative System (EVAP)
PASS	Fuel Metering System	PASS	Other Emission Related Components/Systems
NOT APPLICABLE	Turbocharger/Supercharger	PASS	Vacuum Lines to Sensors/Switches

### **Emission Control Systems Functional Check Results**

Result

PASS

Liquid Fuel Leak Check

Result

PASS

OBDII

PASS

Smoke Check

Smog Check Inspection Station Information

Station ID:

RC045509

Inspector Name/ID:

requirements, and that the information listed on this vehicle inspection report is the and accurate

Software Version/OIS ID:

BAKER, PAUL/EO100004 23.1.1665.0/CV006077

PAULS SHOP

10787 SAN PABLO AVE EL CERRITO, CA 94530

(510) 526-1449

Inspector's Signature \*\*\*

I certify, under penalty of perjury, under the laws of the State of California, that I performed the inspection in accordance with all bureau

Courtesy Inspection

	UND	ERH	100	
Component	ОК	S	R	Condition
ENGINE OIL	X		Mal	
TRANSMISSION			X	very ourt
COOLANT	K		,	
P/S OIL			199	
BRAKE FLUID	K			
TPMS LIGHT	k		13	
AIR FILTER	K		3	
BATTERY	a		- 3	
BELTS	k		-	
HOSES	K		138	
MAINT. RESET	X		1	
OIL FILLER CAP	R		. 10	
	LEF	TFR	ONT	Carrier Constitution
Component	OK	S	R	Condition
Tire	X		- 10	0.0.0
Lugs/Studs	1		X	Ranflace
Wheel Bearings	A			
Caliper / Wheel Cylinder	X		100	
Pad/Shoe	X		1 1	6~
Rotor / Drum	X			
Hoses	X		1	
Axles / CV boots	ì		138	
Shock / Strut	ì		- 18	
	X		- 18 - 18	
Wiper Blades	1		1200	
Lights Wheel Cover	8	-	100	
Center Caps			1	
Component	LEF	T R S	EAR	Condition
	X		IX	Condition
Tire	1		X	10 - 101 - 10
Lugs/Studs	X		1	Renflace
Wheel Bearings Caliper / Wheel	W		3/18	
Cylinder	K		119	
Pag / Shoe	X			4~
Rotor / Drum	K			
Hoses	K		ORIGINA	
Axles / CV boots	K			
Shock / Strut	R			
Lights				
Wheel Cover				
Center Caps	10 15 15 15 15 15 15 15 15 15 15 15 15 15		Del	

TECHNICIAN
A-14

AIR PRESSURE
35 PSi

LUG NUT TORQUE

	RIGH	TFF	RONT	
Component	OK	S	R	Condition
Tire	K	1		
Lugs/Studs			X	Reuflall
Wheel Bearings	X		WAS	
Caliper / Wheel Cylinder	X			
Part / Shoe	K			6 m
Rotor / Drum	X			3.4
Hoses	X			
Axles / CV boots	X			
Shock / Strut	X			1
Wiper Blades	X	H	113	j j
Lights				S SA
Wheel Cover Center Caps				1
6			EAR	Condition
Component	OK	S	K	Condition
Tire		-	V	N Mare
Lugs/Studs		-	_	Revillace
Wheel Bearings Caliper / Wheel	X		Part of	
Cylinder	X			W-3.7
Pad / Shoe	X			4~
Rotor / Drum	X		NA.	
Hoses	X			
Axles / CV boots	A			
Shock / Strut	K			
Lights		LS		
Wheel Cover Center Caps				